

## Index to Volume 71—Castanea 2006

- Agavaceae: Nomenclatural history of southeastern filiferous *Yucca*, with selection of a neotype for *Yucca flaccida*, 80–84.
- Alabama: 11 noteworthy collections, 251–253; *Cayratia japonica* naturalized, 248–251.
- Anacardiaceae: Mitigating impacts to transplanting Michaux's sumac, an endangered shrub, 265–271.
- ANDREAS, BARBARA K. and DIANE H. LUCAS, Bryophyte flora of Jefferson County, Ohio, 162–171.
- Anthocerotaceae: *Megaceros aenigmaticus* in Georgia, 178.
- Araceae: *Pistia stratiotes* in Alabama, 251–253; *Sabal minor* in eastern North America, 172–177.
- Asteraceae: Pollination biology, etc., in *Rudbeckia auriculata*, a rare southeastern endemic, 226–238; Status of *Solidago albopilosa*, a Kentucky endemic, 124–128.
- Bartholomew award, 2006 recipient and information for 2007, 186–190.
- Begonia cucullata* in Alabama, 251–253.
- BENNETT BRADLEY C. (see Dray, F. Allen, Jr.), 210–225.
- Book Reviews: Plant life of Kentucky: an illustrated guide to the vascular flora, 255–257, 336–338; Plants of the Cherokee, 86; Wildflowers of Tennessee, the Ohio Valley, and the Southern Appalachians, 87.
- BOYD, ROBERT S. (see Diamond, Alvin R., Jr.), 226–238.
- BOYER, MARJORIE (see Braham, Richard), 265–271.
- BRAHAM, RICHARD, CHRISTOPHER MURRAY, and MARJORIE BOYER, Mitigating impacts to Michaux's sumac (*Rhus michauxii* Sarg.): a case study of transplanting an endangered shrub, 265–271.
- BRITTON DONALD M. (see Brunton, Daniel F.), 15–30.
- BRUNTON, DANIEL F. and DONALD M. BRITTON, *Isoetes melanopoda* spp. *silvatica* (subsp. nov.), a new quillwort (Isoetaceae) from eastern North America, 15–30.
- Bryophytes: Of Jefferson County, Ohio, 162–171.
- Buckleya distichophylla* on Poor Mountain, Virginia, 31–44.
- BURK, WILLIAM R. and ALAN S. WEAKLEY, Albert E. Radford—a tribute, 179–185.
- Canna glauca* in Alabama, 251–253.
- Carex roanensis*, geographic and ecological distribution, 45–53.
- Caryophyllaceae: *Silene catesbaei*, the correct name of the endangered Fringed Catchfly, 324–329.
- Cayratia japonica* naturalized in Alabama, 248–251.
- CENTER, TED D. (see Dray, F. Allen, Jr.), 210–225.
- CLARKE, PAUL A. (see Leahy, Michael J.), 31–44.
- Clusiaceae: *Hypericum perforatum* in Alabama, 251–253.
- Council and committees of SABS (2006–2007), 258–261.
- CRANDALL, RAELENE M. and RONALD J. TYRL, Vascular flora of the Pushmataha Wildlife Management Area, Pushmataha County, Oklahoma, 65–79.
- Crassula aquatica* in South Carolina, 253–255.
- CRUTCHFIELD, PHILIP J. (see Sorrie, Bruce A.), 129–161.
- Cyperaceae: Distribution of the Roan Mountain Sedge, *Carex roanensis*, 45–53; Seasonal pond habitat and effects on endangered northeastern bulrush in Pennsylvania, 272–281.
- Dalea foliosa*, microhabitat requirements and establishment of new populations, 94–104.
- DAVIS, S. BARRY, WALTER S. JUDD, and KENT D. PERKINS, Noteworthy collection in Florida, 333–334.
- Desmodium ochroleucum*, transplant survival in Maryland, 329–332.
- DEXTER, KYLE G. (see Tripp, Erin A.), 172–177.
- DIAMOND, ALVIN R., JR. (see Woods, Michael), 251–253.
- DIAMOND, ALVIN R., JR., DEBBIE R. FOLKERTS, and ROBERT S. BOYD, Pollination biology, seed dispersal, and recruitment in *Rudbeckia auriculata* (Perdue) Kral, a rare southeastern endemic, 226–238.
- Diphasiastrum digitatum* in Alabama, 251–253.
- DISTER, DAVID C., Characterization of a new population maximum for *Triphora trianthophora* in Ohio, 321–324.
- DONALDSON, JAMES T. (see Smith, Tyler W.), 45–53.
- DRAY, F. ALLEN, JR., BRADLEY C. BENNETT, and TED D. CENTER, Invasion history of *Melaleuca quinquenervia* (Cav.) S.T. Blake in Florida, 210–225.
- DROZDA, NICHOLAS C. (see White, Deborah L.), 124–128.
- Dryopteridaceae: *Polystichum braunii* in Alabama, 251–253.
- DUNSON, WILLIAM A. (see Lentz-Cipollini, Kendra A.), 272–281.
- EBINGER, JOHN E. (see McClain, William E.), 312–320.

## Index to Volume 71—Castanea 2006

- Agavaceae: Nomenclatural history of southeastern filiferous *Yucca*, with selection of a neotype for *Yucca flaccida*, 80–84.
- Alabama: 11 noteworthy collections, 251–253; *Cayratia japonica* naturalized, 248–251.
- Anacardiaceae: Mitigating impacts to transplanting Michaux's sumac, an endangered shrub, 265–271.
- ANDREAS, BARBARA K. and DIANE H. LUCAS, Bryophyte flora of Jefferson County, Ohio, 162–171.
- Anthocerotaceae: *Megaceros aenigmaticus* in Georgia, 178.
- Araceae: *Pistia stratiotes* in Alabama, 251–253; *Sabal minor* in eastern North America, 172–177.
- Asteraceae: Pollination biology, etc., in *Rudbeckia auriculata*, a rare southeastern endemic, 226–238; Status of *Solidago albopilosa*, a Kentucky endemic, 124–128.
- Bartholomew award, 2006 recipient and information for 2007, 186–190.
- Begonia cucullata* in Alabama, 251–253.
- BENNETT BRADLEY C. (see Dray, F. Allen, Jr.), 210–225.
- Book Reviews: Plant life of Kentucky: an illustrated guide to the vascular flora, 255–257, 336–338; Plants of the Cherokee, 86; Wildflowers of Tennessee, the Ohio Valley, and the Southern Appalachians, 87.
- BOYD, ROBERT S. (see Diamond, Alvin R., Jr.), 226–238.
- BOYER, MARJORIE (see Braham, Richard), 265–271.
- BRAHAM, RICHARD, CHRISTOPHER MURRAY, and MARJORIE BOYER, Mitigating impacts to Michaux's sumac (*Rhus michauxii* Sarg.): a case study of transplanting an endangered shrub, 265–271.
- BRITTON DONALD M. (see Brunton, Daniel F.), 15–30.
- BRUNTON, DANIEL F. and DONALD M. BRITTON, *Isoetes melanopoda* spp. *silvatica* (subsp. nov.), a new quillwort (Isoetaceae) from eastern North America, 15–30.
- Bryophytes: Of Jefferson County, Ohio, 162–171.
- Buckleya distichophylla* on Poor Mountain, Virginia, 31–44.
- BURK, WILLIAM R. and ALAN S. WEAKLEY, Albert E. Radford—a tribute, 179–185.
- Canna glauca* in Alabama, 251–253.
- Carex roanensis*, geographic and ecological distribution, 45–53.
- Caryophyllaceae: *Silene catesbaei*, the correct name of the endangered Fringed Catchfly, 324–329.
- Cayratia japonica* naturalized in Alabama, 248–251.
- CENTER, TED D. (see Dray, F. Allen, Jr.), 210–225.
- CLARKE, PAUL A. (see Leahy, Michael J.), 31–44.
- Clusiaceae: *Hypericum perforatum* in Alabama, 251–253.
- Council and committees of SABS (2006–2007), 258–261.
- CRANDALL, RAELENE M. and RONALD J. TYRL, Vascular flora of the Pushmataha Wildlife Management Area, Pushmataha County, Oklahoma, 65–79.
- Crassula aquatica* in South Carolina, 253–255.
- CRUTCHFIELD, PHILIP J. (see Sorrie, Bruce A.), 129–161.
- Cyperaceae: Distribution of the Roan Mountain Sedge, *Carex roanensis*, 45–53; Seasonal pond habitat and effects on endangered northeastern bulrush in Pennsylvania, 272–281.
- Dalea foliosa*, microhabitat requirements and establishment of new populations, 94–104.
- DAVIS, S. BARRY, WALTER S. JUDD, and KENT D. PERKINS, Noteworthy collection in Florida, 333–334.
- Desmodium ochroleucum*, transplant survival in Maryland, 329–332.
- DEXTER, KYLE G. (see Tripp, Erin A.), 172–177.
- DIAMOND, ALVIN R., JR. (see Woods, Michael), 251–253.
- DIAMOND, ALVIN R., JR., DEBBIE R. FOLKERTS, and ROBERT S. BOYD, Pollination biology, seed dispersal, and recruitment in *Rudbeckia auriculata* (Perdue) Kral, a rare southeastern endemic, 226–238.
- Diphasiastrum digitatum* in Alabama, 251–253.
- DISTER, DAVID C., Characterization of a new population maximum for *Triphora trianthophora* in Ohio, 321–324.
- DONALDSON, JAMES T. (see Smith, Tyler W.), 45–53.
- DRAY, F. ALLEN, JR., BRADLEY C. BENNETT, and TED D. CENTER, Invasion history of *Melaleuca quinquenervia* (Cav.) S.T. Blake in Florida, 210–225.
- DROZDA, NICHOLAS C. (see White, Deborah L.), 124–128.
- Dryopteridaceae: *Polystichum braunii* in Alabama, 251–253.
- DUNSON, WILLIAM A. (see Lentz-Cipollini, Kendra A.), 272–281.
- EBINGER, JOHN E. (see McClain, William E.), 312–320.

- Ecology: Abandoned limestone quarry at Center Hill Dam, DeKalb County, Tennessee, 54-64; Distribution of the Roan Mountain Sedge, *Carex roanensis*, 45-53; Dynamics of species composition in Baber Woods Nature Preserve, Illinois and effects of fire suppression, 312-320; Flora of the longleaf pine ecosystem of Fort Bragg and Weymouth Woods, North Carolina, 129-161; Huggins Island, North Carolina, 292-311; Invasion history of *Melaleuca quinquenervia*, in Florida, 210-225; Microhabitat requirements of federally endangered *Dalea foliosa* and establishment of new populations, 94-104; Mitigating impacts to transplanting Michaux's sumac, an endangered shrub, 265-271; Northernmost limit of *Rhizophora mangle* in Florida, 239-244; Pollination biology, seed dispersal, and recruitment in *Rudbeckia auriculata*, a rare southeastern endemic, 226-238; Seasonal pond habitat and effects on endangered northeastern bulrush in Pennsylvania, 272-281; Transplant survival, reproductive output, and population monitoring of *Desmodium ochroleucum* in Maryland, 329-332; Woody vegetation associated with Piratebush, *Buckleya distichophylla* on Poor Mountain, Virginia, 31-44.
- Elatine rubella* and *Elatine minima* in South Carolina, 253-255.
- Fabaceae: *Indigofera hirsuta* and *Vicia americana* in Alabama, 251-253; Microhabitat requirements of federally endangered *Dalea foliosa* and establishment of new populations, 94-104; Transplant survival of *Desmodium ochroleucum* in Maryland, 329-332.
- Fire: Dynamics of species composition in Baber Woods Nature Preserve, and fire suppression, 312-320.
- Flora: Abandoned limestone quarry at Center Hill Dam, DeKalb County, Tennessee, 54-64; Bryophytes of Jefferson County, Ohio, 162-171; Elk and Bison Prairie, Land Between the Lakes National Recreation Area, Kentucky, 105-123; Huggins Island, North Carolina, 295-311; *Isoetes melanopoda* spp. *silvatica* (subsp. nov.), new to eastern North America, 15-30; Lichen inventory of North Carolina piedmont, 282-294; Longleaf pine ecosystem of Fort Bragg and Weymouth Woods, North Carolina, 129-161; Myxomycetes of Radnor Lake State Natural Area, Tennessee, 245-247; Pushmataha Wildlife Management Area, Oklahoma, 65-79; Water-clover ferns, *Marsilea*, in the southeastern United States, 1-14.
- Florida: Invasion history of *Melaleuca quinquenervia*, 210-225; Northernmost limit of *Rhizophora mangle*, 239-244; *Oplismenus burmannii*, 333-334.
- FOLKERTS, DEBBIE R. (see Diamond, Alvin R., Jr.), 226-238.
- Georgia: *Megaceros aenigmaticus*, 178.
- GIANNASI, DAVID E. (see Zomlefer, Wendy B.), 239-244.
- GOERTZEN, LESLIE R. (see Hansen, Curtis J.), 248-251.
- GRAY, JANET BRACEY (see Sorrie, Bruce A.), 129-161.
- GROLLER, PATRICIA L. (see Tyndall, R. Wayne), 329-332.
- Habranthus tubispatus* in Alabama, 251-253.
- HANSEN, CURTIS J. and LESLIE R. GOERTZEN, *Cayratia japonica* (Vitaceae) naturalized in Alabama, 248-251.
- HIDAYATI, SITI N. (see Thompson, Jennifer N.), 94-104.
- HUTTO, CURTIS J. (see Leahy, Michael J.), 31-44.
- HYATT, PHILIP E., Noteworthy collection in Georgia, 178.
- Hydrophyllaceae: Biosystematics of *Phacelia rannunculacea* complex, 192-209.
- Hypericum perforatum* in Alabama, 251-253.
- Illinois: Dynamics of species composition in Baber Woods Nature Preserve, 312-320.
- Indigofera hirsuta* in Alabama, 251-253.
- Invasive Species: *Cayratia japonica* naturalized in Alabama, 248-251; Invasion history of *Melaleuca quinquenervia* in Florida, 210-225.
- Isoetes melanopoda* spp. *silvatica* (subsp. nov.), a new quillwort from eastern North America, 15-30.
- JACONO, COLETTE C. and DAVID M. JOHNSON, Water-clover ferns, *Marsilea*, in the southeastern United States, 1-14.
- JOHNSON, DAVID M. (see Jacono, Colette C.), 1-14.
- JONES, BART G., Noteworthy Collections in Tennessee, 334-335.
- JONES, RONALD L., Book reviews, 86, 87.
- JUDD, WALTER S. (see Davis, S. Barry), 333-334; (see Zomlefer, Wendy B.), 239-244.
- KAUFFMAN, GARY L. (see Smith, Tyler W.), 45-53.
- KELLY, LISA, Vascular flora of Huggins Island, Onslow County, North Carolina, 295-311.
- Kentucky: Flora of the Elk and Bison Prairie, Land Between the Lakes National Recreation Area, 105-123; Status of *Solidago albopilosa*, a Kentucky endemic, 124-128.
- LaGESSE, VERNON L. (see McClain, William E.), 312-320.
- LEAHY, MICHAEL J., CURTIS J. HUTTO, and PAUL A. CLARKE, Composition and structure

- of woody vegetation associated with Piratebush, *Buckleya distichophylla* (Nutt.) Torr., on Poor Mountain, Virginia, 31-44.
- LENTZ-CIPOLLINI, KENDRA A. and WILLIAM A. DUNSON, Abiotic features of seasonal pond habitat and effects on endangered northeastern bulrush, *Scirpus ancistrochaetus* in central Pennsylvania, 272-281.
- Lichens: Inventory of North Carolina piedmont, 282-294.
- Liliaceae: *Habranthus tubispathus* in Alabama, 251-253.
- LUCAS, DIANE H. (see Andreas, Barbara K.), 162-171.
- Lycopodiaceae: *Diphasiastrum digitatum* in Alabama, 251-253.
- Macrothelypteris torresiana* in South Carolina, 253-255.
- Marsilea* in the southeastern United States, 1-14.
- Marsilea minuta* in Alabama, 251-253.
- Maryland: Transplant survival of *Desmodium ochroleucum*, 329-332.
- McCLAIN, WILLIAM E., VERNON L. LaGESSE, and JOHN E. EBINGER, Dynamics of species composition and importance from 1965-1998 in Baber Woods Nature Preserve, Edgar County, Illinois: evidence of the effects of fire suppression, 312-320.
- McKINNEY, LONDON E. (see Thompson, Ralph L.), 54-64.
- Megaceros aenigmaticus* in Georgia, 178.
- Melaleuca quinquenervia* in Florida, 210-225.
- MURRAY, CHRISTOPHER (see Braham, Richard), 265-271.
- MURRELL, ZACK and DERICK POINDEXTER, Book review, 255-257; 336-338.
- Myrtaceae: Invasion history of *Melaleuca quinquenervia* in Florida, 210-225.
- Myxomycetes: Radnor Lake State Natural Area, Tennessee, 245-247.
- NEUFELD, HOWARD S., President's message (2006), 263-264.
- North Carolina: Flora of Huggins Island, 295-311; Flora of the longleaf pine ecosystem of Fort Bragg and Weymouth Woods, 129-161; Lichen inventory of piedmont, 282-294; Mitigating impacts to transplanting Michaux's sumac, an endangered shrub, 265-271; *Sabal minor*, a new northern record of palms in eastern North America, 172-177.
- Noteworthy Collections: **Alabama**: 11 taxa, 251-253; **Florida**: *Oplismenus burmannii*, 333-334; **Georgia**: *Megaceros aenigmaticus*, 178; **South Carolina**: 4 taxa, 253-255; **Tennessee**: *Spiranthes magnicamporum*, 334-335.
- Oenothera grandiflora* in Alabama, 251-253.
- Ohio: Bryophyte flora of Jefferson County, 162-171; Characterization of a new population maximum for *Triphora trianthophora*, 321-324.
- Oklahoma: Flora of the Pushmataha Wildlife Management Area, 65-79.
- Onagraceae: *Oenothera grandiflora* in Alabama, 251-253.
- Oplismenus burmannii* in Florida, 333-334.
- Orchidaceae: *Spiranthes magnicamporum* in Tennessee, 334-335; *Triphora trianthophora* in Ohio, 321-324.
- Pennsylvania: Seasonal pond habitat and effects on endangered northeastern bulrush, 272-281.
- PERKINS, KENT D. (see Davis, S. Barry), 333-334.
- PERLMUTTER, GARY B., Lichen inventory of the North Carolina piedmont, 282-294.
- Phacelia ranunculacea*, biosystematics of complex, 192-209.
- Pistia stratiotes* in Alabama, 251-253.
- Poaceae: *Oplismenus burmannii* in Florida, 333-334.
- POINDEXTER, DERICK (see Murrell, Zack), 255-257, 336-338; (see Thompson, Ralph L.), 105-123.
- Pollination: *Rudbeckia auriculata*, a rare southeastern endemic, 226-238.
- Polystichum braunii* in Alabama, 251-253.
- President's message (2006), 263-264.
- Radford, Albert E. (1918-2006), a tribute, 179-185.
- Rare Plants: *Buckleya distichophylla* on Poor Mountain, Virginia, 31-44; *Carex roanensis* ecological distribution, 45-53; *Dalea foliosa*, microhabitat requirements 94-104; *Desmodium ochroleucum* transplant survival in Maryland, 329-332; *Rhizophora mangle* in Florida, 238-244; *Rhus michauxii*, transplanting, 265-271; *Rudbeckia auriculata*; pollination biology, 226-238; Seasonal pond habitat and effects on endangered northeastern bulrush in Pennsylvania, 272-281; *Silene catesbaei*, the correct name of the endangered Fringed Catchfly, 324-329; *Solidago albopilosa*, a Kentucky endemic, 124-128; *Triphora trianthophora* in Ohio, 321-324.
- ROSLING, WAYNE C., Myxomycetes of the Radnor Lake State Natural Area, Davidson County, Tennessee, 245-247.
- Rudbeckia auriculata*, a rare southeastern endemic, 226-238.
- Sabal minor*, a new northern record of palms in eastern North America, 172-177.
- Santalaceae: Woody vegetation associated with Piratebush, *Buckleya distichophylla* on Poor Mountain, Virginia, 31-44.
- Scirpus ancistrochaetus*, seasonal pond habitat and effects on, Pennsylvania, 272-281.

- SEWELL, MATTHEW and MICHAEL A. VINCENT, Biosystematics of the *Phacelia ranunculacea* complex (Hydrophyllaceae), 192–209.
- Silene catesbaei*, the correct name of the endangered Fringed Catchfly, 324–329.
- SMITH, TYLER W., JAMES T. DONALDSON, THOMAS F. WIEBOLDT, GARY L. KAUFFMAN, and MARCIA J. WATERWAY, Geographic and ecological distribution of the Roan Mountain Sedge, *Carex roanensis* (Cyperaceae), 45–53.
- Solidago albopilosa*, status, a Kentucky endemic, 124–128.
- SORRIE, BRUCE A., JANET BRACEY GRAY, and PHILIP J. CRUTCHFIELD, Vascular flora of the longleaf pine ecosystem of Fort Bragg and Weymouth Woods, North Carolina, 129–161.
- South Carolina: 4 noteworthy collections, 253–255.
- Southeastern United States: Distribution of the Roan Mountain Sedge, *Carex roanensis*, 45–53; *Isoetes melanopoda* spp. *silvatica* (subsp. nov.), a new quillwort, 15–30; *Marsilea*, 1–14; Pollination biology, seed dispersal, and recruitment in *Rudbeckia auriculata*, 226–238.
- Spiranthes magnicamporum* in Tennessee, 334–335.
- Systematics: Biosystematics of *Phacelia ranunculacea*, 192–209; *Isoetes melanopoda* spp. *silvatica* (subsp. nov.), new to eastern North America, 15–30; Nomenclatural history of southeastern filiferous *Yucca*, with selection of a neotype for *Yucca flaccida*, 80–84; Water-clover ferns, *Marsilea*, in the southeastern United States, 1–14.
- Tennessee: Flora and plant habitats of an abandoned limestone quarry at Center Hill Dam, DeKalb County, Tennessee, 54–64; Myxomycetes of Radnor Lake State Natural Area, 245–247; *Spiranthes magnicamporum*, 334–335.
- Thelypteridaceae: *Macrothelypteris torresiana* in South Carolina, 253–255.
- Thieret, John W. (1926–2005), a tribute, 89–93.
- THOMPSON, JENNIFER N., JEFFREY L. WALCK, and SITI N. HIDAYATI, Microhabitat requirements of the federally endangered *Dalea foliosa*, with recommendations on establishment of new populations, 94–104.
- THOMPSON, RALPH L., John W. Thieret (1926–2005)—Botanist, Teacher, Editor, Author, Mentor, and Friend, 89–93.
- THOMPSON, RALPH L. and DERICK B. POINDEXTER, Vascular flora of the Elk and Bison Prairie, Land Between the Lakes National Recreation Area, Trigg County, Kentucky, 105–123.
- THOMPSON, RALPH L. and LANDON E. MCKINNEY, Vascular flora and plant habitats of an abandoned limestone quarry at Center Hill Dam, DeKalb County, Tennessee, 54–64.
- Tribute: Albert E. Radford (1918–2006), 179–185; John W. Thieret (1926–2005), 89–93.
- Triphora trianthophora* in Ohio, 321–324.
- TRIPP, ERIN A. and KYLE G. DEXTER, *Sabal minor* (Arecaceae): a new northern record of palms in eastern North America, 172–177.
- TYNDALL, R. WAYNE and PATRICIA L. GROLER, Transplant survival, reproductive output, and population monitoring of *Desmodium ochroleucum* at Chicone Creek Woods in Maryland, 329–332.
- TYRL, RONALD J. (see Crandall, Raelene M.), 65–79.
- Vegetation: Abandoned limestone quarry at Center Hill Dam, DeKalb County, Tennessee, 54–64; Elk and Bison Prairie, Land Between the Lakes National Recreation Area, Kentucky, 105–123; Pushmataha Wildlife Management Area, Oklahoma, 65–79; Woody vegetation associated with Piratebush, *Buckleya distichophylla* on Poor Mountain, Virginia, 31–44.
- Vicia americana* in Alabama, 251–253.
- VINCENT, MICHAEL A. (see Sewell, Matthew), 192–209.
- Virginia: Woody vegetation associated with Piratebush, *Buckleya distichophylla* on Poor Mountain, 31–44.
- Vitaceae: *Cayratia japonica* naturalized in Alabama, 248–251.
- WALCK, JEFFREY L. (see Thompson, Jennifer N.), 94–104.
- WARD, DANIEL B., Nomenclatural history of southeastern filiferous *Yucca*, with selection of a neotype for *Yucca flaccida*, 80–84; *Silene catesbaei*, rather than *Silene polypetala*, the correct name of the endangered Fringed Catchfly, 324–329.
- WATERWAY, MARCIA J. (see Smith, Tyler W.), 45–53.
- WHITE, DEBORAH L. and NICHOLAS C. DROZDA, Status of *Solidago albopilosa* Braun (White-haired goldenrod) (Asteraceae), a Kentucky endemic, 124–128.
- WIEBOLDT, THOMAS F. (see Smith, Tyler W.), 45–53.
- Windler award, 2006 recipients, 191.
- WOODS, MICHAEL and ALVIN R. DIAMOND, JR., Noteworthy collections of Alabama, 251–253.
- Yucca*, nomenclatural history of southeastern filiferous *Yucca*, 80–84.
- ZOMLEFER, WENDY B., WALTER S. JUDD, and DAVID E. GIANNASI, Northernmost limit of *Rhizophora mangle* (Red Mangrove; Rhizophoraceae) in St. Johns County, Florida, 239–244.



Statement of Ownership, Management, and Circulation of *Castanea*, The Journal of the Southern Appalachian Botanical Society, Required by 39 U.S.C. 3685. Filed 1 October 2006.

*Castanea*, The Journal of the Southern Appalachian Botanical Society is published quarterly at Biology Department, Newberry College, 2100 College Street, Newberry, South Carolina 29108. Publisher: Southern Appalachian Botanical Society, Inc. Managing Editor: Audrey Mellichamp, 3036 Ventosa Drive, Charlotte, North Carolina 28205. Owner: Southern Appalachian Botanical Society, Inc., Biology Department, Newberry College, 2100 College Street, Newberry, South Carolina 29108.

The known bondholders, mortgagees, and other security holders owning or holding 1% of more of the total amount of bonds, mortgages, or other securities are: None.

Purpose, function, and nonprofit status of this organization and the exempt status for Federal income tax purposes, have not changed during the preceding 12 months.

Extent and Nature of Circulation: Total number of copies (net press run) – Average number during the preceding 12 months: 1160, for single issue nearest to filing date: 1100.

Paid circulation (by mail and outside mail):

1. Copies mailed outside-county paid subscriptions – average number during the preceding 12 months: 1051, for single issue nearest to filing date: 1030.
2. Copies mailed in-county paid subscriptions – average number during the preceding 12 months: none, for single issue nearest to filing date: none.
3. Copies paid distribution outside the mails including sales through dealers and carriers, street vendors, counter sales, and other paid distribution outside USPS – average number during the preceding 12 months: none, for single issue nearest to filing date: none.
4. Copies mailed by other classes of mail through the USPS – average number during the preceding 12 months: none, for single issue nearest to filing date: none.

Total paid distribution – average during preceding 12 months: 1051, for single issue nearest filing date: 1030

Free or Nominal Rate Distribution (by mail and outside mail):

1. Copies free or nominal rate outside-county – average number during the preceding 12 months: 2, for single issue nearest to filing date: 2.
2. Copies free or nominal rate in-county – average number during the preceding 12 months: none, for single issue nearest to filing date: none.
3. Copies free or nominal rate mailed at other classes through the USPS – average number during the preceding 12 months: none, for single issue nearest to filing date: none.
4. Copies free or nominal rate distribution outside the mail – average number during the preceding 12 months: none, for single issue nearest to filing date: none.

Total free or nominal rate distribution – average number during the preceding 12 months: 2, for single issue nearest to filing date: 2.

Total distribution – average number during the preceding 12 months: 1053, for single issue nearest to filing date: 1032. Copies not distributed – average number during the preceding 12 months: 107, for single issue nearest to filing date: 68. Total – average number during the preceding 12 months: 1160, for single issue nearest to filing date: 1100. Percent paid – average number during the preceding 12 months: 99%, for single issue nearest to filing date: 99%.

I certify that the statements made by me above are correct and complete. Signed, Charles N. Horn, Treasurer, SABS.



# **CASTANEA**

The Journal  
of the  
Southern Appalachian Botanical Society

**VOLUME 71**

PUBLISHED BY THE SOCIETY  
MARCH, JUNE, SEPTEMBER, DECEMBER  
ISSN 0008-7475

**2006**

## TABLE OF CONTENTS

<b>Water-clover Ferns, <i>Marsilea</i>, in the Southeastern United States</b> COLETTE C. JACONO and DAVID M. JOHNSON . . . . .	1
<b><i>Isoetes melanopoda</i> spp. <i>silvatica</i> (subsp. nov.), a New Quillwort (Isoetaceae)</b> <b>From Eastern North America</b> DANIEL F. BRUNTON and DONALD M. BRITTON . . . . .	15
<b>The Composition and Structure of Woody Vegetation Associated With</b> <b>Piratebush, <i>Buckleya distichophylla</i> (Nutt.) Torr., on Poor Mountain, Virginia</b> MICHAEL J. LEAHY, CURTIS J. HUTTO, and PAUL A. CLARKE . . . . .	31
<b>The Geographic and Ecological Distribution of the Roan Mountain Sedge,</b> <b><i>Carex roanensis</i> (Cyperaceae)</b> TYLER W. SMITH, JAMES T. DONALDSON, THOMAS F. WIEBOLDT, GARY L. KAUFFMAN, and MARCIA J. WATERWAY . . . . .	45
<b>Vascular Flora and Plant Habitats of an Abandoned Limestone Quarry at</b> <b>Center Hill Dam, DeKalb County, Tennessee</b> RALPH L. THOMPSON and LONDON E. MCKINNEY . . . . .	54
<b>Vascular Flora of the Pushmataha Wildlife Management Area, Pushmataha</b> <b>County, Oklahoma</b> RAELENE M. CRANDALL and RONALD J. TYRL . . . . .	65
<b>Scientific Note</b> <b>A Nomenclatural History of Southeastern Filiferous <i>Yucca</i>, With Selection of a</b> <b>Neotype For <i>Y. flaccida</i></b> DANIEL B. WARD . . . . .	80
<b>Castanea Reviewers for 2005</b> . . . . .	85
<b>Book Reviews</b> . . . . .	86
 <b>John W. Thieret (1926-2005)—Botanist, Teacher, Editor, Author, Mentor,</b> <b>and Friend</b> RALPH L. THOMPSON . . . . .	89
<b>Microhabitat Requirements of the Federally Endangered <i>Dalea foliosa</i>,</b> <b>with Recommendations on Establishment of New Populations</b> JENNIFER N. THOMPSON, JEFFREY L. WALCK, and SITI N. HIDAYATI . . . . .	94
<b>Vascular Flora of the Elk and Bison Prairie, Land Between The Lakes</b> <b>National Recreation Area, Trigg County, Kentucky</b> RALPH L. THOMPSON and DERICK B. POINDEXTER . . . . .	105
<b>Status of <i>Solidago albopilosa</i> Braun (White-haired Goldenrod) [Asteraceae],</b> <b>a Kentucky Endemic</b> DEBORAH L. WHITE and NICHOLAS C. DROZDA . . . . .	124
<b>The Vascular Flora of the Longleaf Pine Ecosystem of Fort Bragg and</b> <b>Weymouth Woods, North Carolina</b> BRUCE A. SORRIE, JANET BRACEY GRAY, and PHILIP J. CRUTCHFIELD . . . . .	129
<b>The Bryophyte Flora of Jefferson County, Ohio</b> BARBARA K. ANDREAS and DIANE H. LUCAS . . . . .	162
<b><i>Sabal minor</i> (Arecaceae): a New Northern Record of Palms in Eastern</b> <b>North America</b> ERIN A. TRIPP and KYLE G. DEXTER . . . . .	172
<b>Noteworthy Collections</b> <b>Georgia</b> PHILIP E. HYATT . . . . .	178



<b>Albert E. Radford—A Tribute</b>	
WILLIAM R. BURK and ALAN S. WEAKLEY . . . . .	179
<b>2006 Elizabeth Ann Bartholomew Award Recipient—Joe E. Winstead . . . . .</b>	186
<b>The Elizabeth Ann Bartholomew Award . . . . .</b>	188
<b>2006 Richard and Minnie Windler Award Recipients—Kerry D. Heafner and     Rebecca D. Bray . . . . .</b>	191
<b>Biosystematics of the <i>Phacelia ranunculacea</i> Complex (Hydrophyllaceae)</b>	
MATTHEW SEWELL and MICHAEL A. VINCENT . . . . .	192
<b>Invasion History of <i>Melaleuca quinquenervia</i> (Cav.) S.T. Blake in Florida</b>	
F. ALLEN DRAY, JR., BRADLEY C. BENNETT, and TED D. CENTER . . . . .	210
<b>Pollination Biology, Seed Dispersal, and Recruitment in <i>Rudbeckia auriculata</i>     (Perdue) Kral, a Rare Southeastern Endemic</b>	
ALVIN R. DIAMOND, JR., DEBBIE R. FOLKERTS, and ROBERT S. BOYD . . . . .	226
<b>Northernmost Limit of <i>Rhizophora mangle</i> (Red Mangrove; Rhizophoraceae) in     St. Johns County, Florida</b>	
WENDY B. ZOMLEFER, WALTER S. JUDD, and DAVID E. GIANNASI . . . . .	239
<b>Myxomycetes of the Radnor Lake State Natural Area, Davidson County,     Tennessee</b>	
WAYNE C. ROSING . . . . .	245
<b>Scientific Note</b>	
<b><i>Cayratia japonica</i> (Vitaceae) Naturalized in Alabama</b>	
CURTIS J. HANSEN and LESLIE R. GOERTZEN . . . . .	248
<b>Noteworthy Collections</b>	
<b>Alabama</b>	
MICHAEL WOODS and ALVIN R. DIAMOND, JR. . . . .	251
<b>South Carolina</b>	
CHARLES N. HORN . . . . .	253
<b>Book Review . . . . .</b>	255
<b>SABS Officers and Council 2006–2007 . . . . .</b>	258
<b>SABS Appointed and Standing Committees 2006–2007 . . . . .</b>	260
<b>President's Message</b>	
HOWARD S. NEUFELD . . . . .	263
<b>Mitigating Impacts to Michaux's Sumac (<i>Rhus michauxii</i> Sarg.): a Case Study     of Transplanting an Endangered Shrub</b>	
RICHARD BRAHAM, CHRISTOPHER MURRAY, and MARJORIE BOYER . . . . .	265
<b>Abiotic Features of Seasonal Pond Habitat and Effects on Endangered     Northeastern Bulrush, <i>Scirpus ancistrochaetus</i> Schuyler, in Central     Pennsylvania</b>	
KENDRA A. LENTZ-CIPOLLINI and WILLIAM A. DUNSON . . . . .	272
<b>Lichen Inventory of the North Carolina Piedmont</b>	
GARY B. PERLMUTTER . . . . .	282
<b>The Vascular Flora of Huggins Island, Onslow County, North Carolina</b>	
LISA KELLY . . . . .	295
<b>Dynamics of Species Composition and Importance from 1965–1998 in     Baber Woods Nature Preserve, Edgar County, Illinois: Evidence of the     Effects of Fire Suppression</b>	
WILLIAM E. MCCLAIN, VERNON L. LAGESSE, and JOHN E. EBINGER . . . . .	312

## Scientific Notes

### Characterization of a New Population Maximum for *Triphora trianthophora* (Swartz) Rydberg in Ohio

DAVID C. DISTER ..... 321

### *Silene catesbaei*, Rather Than *Silene polypetala*, the Correct Name of the Endangered Fringed Catchfly

DANIEL B. WARD ..... 324

### Transplant Survival, Reproductive Output, and Population Monitoring of *Desmodium ochroleucum* M. A. Curtis at Chicone Creek Woods in Maryland

R. WAYNE TYNDALL and PATRICIA L. GROLLER ..... 329

## Noteworthy Collections

### Florida

S. BARRY DAVIS, WALTER S. JUDD, and KENT D. PERKINS. .... 333

### Tennessee

BART G. JONES ..... 334

### Book Review: Plant Life of Kentucky: An Illustrated Guide to the Vascular Flora by Ronald Jones

ZACK MURRELL and DERICK POINDEXTER ..... 336

Index to Volume 71 ..... 340

Statement of Ownership ..... 344

## Table of Contents, Volume 71

---

## DATES OF PUBLICATION OF VOLUME 71

No. 1, March .....	May 17, 2006
No. 2, June .....	August 8, 2006
No. 3, September .....	October 31, 2006
No. 4, December .....	January 31, 2007

---

